



SINGLE KITS - HYDRAULIC

**KIT MINI TANK SINGLE**

1 Hydraulic operator MINI TANK SC
 1 Control unit GATE 2 DG with RF UNI 433 MHz
 plug-in receiver
 2 Lady Bug 433 MHz transmitters
 1 Pair of SUNSET photocells
 2 Warning signs

101MTSCS**BRUSHLESS technology****KIT HALFTANK SINGLE 36V BR BBU**


1 Hydraulic operator HALF TANK 36V
 1 Control unit UNIGATE BR BBU (battery backup,
 metal case) with RF UNI 433 MHz plug-in receiver
 2 Lady Bug 433 MHz transmitters
 1 Pair of photocells (REFLEX or SUNSET)
 2 Warning signs

104HTACBRSBBU

SINGLE KITS - HYDRAULIC

**KIT HALFTANK SINGLE FAST**

1 Hydraulic operator HALF TANK 110V FAST
 1 Control unit GATE 2 DG with RF UNI 433 MHz
 plug-in receiver
 2 Lady Bug 433 MHz transmitters
 1 Pair of SUNSET photocells
 2 Warning signs

104HTACS**KIT FULL TANK SINGLE FAST**

1 Hydraulic operator FULL TANK 120V
 1 Control unit GATE 2 DG with RF UNI 433 MHz
 plug-in receiver
 2 Lady Bug 433 MHz transmitters
 1 Pair of SUNSET photocells
 2 Warning signs

106FTACS



SINGLE KITS - ELECTROMECHANICAL



KIT SURF 24V SINGLE 450 H BBU

- 1 Operator SURF 450H 24V
- 1 Control unit USER 2DG BBU (metal case) with RF UNI 433 MHz plug-in receiver, battery backup
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of photocells (REFLEX or SUNSET)
- 1 Battery back up STAR 400-800
- 2 Warning signs

110SURF24S450HBBU

KIT SURF 24V 450 H SINGLE

- 2 Operators SURF 450H 24V
- 1 Control unit USER 2 24V (plastic case) with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

110SURF24S450HS



KIT SURF K 500 24V SINGLE BBU

- 2 Operators SURF 450H 24V
- 1 Control unit USER 2 24V (metal case) with RF UNI 433 MHz plug-in receiver, battery backup
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of photocells (REFLEX or SUNSET)
- 1 Battery back up STAR 400-800
- 2 Warning signs

110SURFK50024SBBU



SINGLE KITS - IN GROUND



KIT COMPACT 1600 SINGLE

- 1 Hydraulic operator COMPACT 1600
- 1 Control unit GATE 2 DG with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs
- 1 Carrying box
- 1 Manual release PLUS with lock

122COMPACT1600S



KIT FIELD OIL 24V SINGLE

- 1 Operator FIELD OIL 24V
- 1 Control unit USER 2DG with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs
- 1 Carrying box
- 1 Manual release PLUS with lock

123FIELD24S





SINGLE KITS PRE-WIRED - HYDRAULIC



KIT MINI TANK SINGLE PW

- 1 Hydraulic operator MINI TANK SC
- 1 Control unit UNIGATE Inverter DG PRE-WIRED with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

*Metal enclosure 20"x11"x 5"W

101MTSCSUPW



BRUSHLESS technology



KIT HALF-TANK SINGLE PW

- 1 Hydraulic operator HALF TANK 110V
- 1 Control unit UNIGATE Inverter DG PRE-WIRED with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

*Metal enclosure 20"x11"x 5"W

104HTACSUPW

KIT HALF-TANK 36V BR SINGLE PW

- 1 Hydraulic operator HALF TANK 36V BR
- 1 Control unit UNIGATE BR PRE-WIRED with encoder RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

*Metal enclosure 20"x11"x 5"W

104HTACBRSPW



SINGLE KITS PRE-WIRED - HYDRAULIC



KIT COMPACT 1600 SINGLE PW

- 1 Hydraulic operator COMPACT 1600
- 1 Control unit UNIGATE Inverter DG PRE-WIRED with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of photocells (REFLEX or SUNSET)
- 2 Warning signs
- 1 Carrying box
- 1 Manual release PLUS with lock

*Metal enclosure 20"x11"x 5"W

122COMPACT1600SPW



KIT FULL TANK SINGLE PW

- 1 Operator FULL TANK 110V
- 1 Control unit UNIGATE Inverter DG PRE-WIRED with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of photocells (REFLEX or SUNSET)
- 2 Warning signs

*Metal enclosure 20"x11"x 5"W

106FTACSPW





DOUBLE KITS - HYDRAULIC



KIT MINI TANK DOUBLE

- 2 Hydraulic operators MINI TANK SC
- 1 Control unit GATE 2 DG with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

101MTSCD



KIT HALF TANK DOUBLE

- 2 Hydraulic operators HALF TANK
- 1 Control unit GATE 2 DG with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

104HTADC



DOUBLE KITS - HYDRAULIC



 **BRUSHLESS technology**



KIT HALF TANK DOUBLE 36V BR BBU

- 2 Hydraulic operators HALF TANK 36V BR
- 1 Control unit UNIGATE BR with RF UNI 433 MHz plug-in receiver, battery backup
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of photocells (REFLEX or SUNSET)
- 2 Warning signs

104HTACBRDBBU

Photos are indicative compositions (carefully read the specific compositions of the chosen kit)





DOUBLE KITS - ELECTROMECHANICAL



| |
|---|
| KIT SURF 24V DOUBLE 450H BBU |
| 2 Operators SURF 450 24V 1 Control unit USER 2 24V BBU (metalcase) with RF UNI 433 MHz plug-in receiver, battery backup 2 Lady Bug 433 MHz transmitters 1 Pair of photocells (REFLEX or SUNSET) 1 Battery back up STAR 400-800 2 Warning signs |
| 110SURF24D450HBBU |

| |
|---|
| KIT SURF 24V DOUBLE 450H |
| 2 Operators SURF 450 24V 1 Control unit USER 2 24V HYDRO with RF UNI 433 MHz plug-in receiver 2 Lady Bug 433 MHz transmitters 1 Pair of SUNSET photocells 2 Warning signs |
| 110SURF24450HD |

| |
|--|
| KIT SURF K 24V DOUBLE 500 BBU |
| 2 Operators SURF 450 24V 1 Control unit USER 2 24V BBU (metal case) with RF UNI 433 MHz plug-in receiver, battery backup 2 Lady Bug 433 MHz transmitters 1 Pair of photocells (REFLEX or SUNSET) 1 Battery back up STAR 400-800 2 Warning signs |
| 110SURFK24DBBU |



DOUBLE KITS - HYDRAULIC



| |
|--|
| KIT FULL TANK DOUBLE |
| 2 Hydraulic operators FULL TANK 110V 1 Control unit GATE 2 DG with RF UNI 433 MHz plug-in receiver 2 Lady Bug 433 MHz transmitters 1 Pair of SUNSET photocells 2 Warning signs |
| 106FTACD |



DOUBLE KITS - IN GROUND



KIT COMPACT 1600 DOUBLE

- 2 Hydraulic operators COMPACT 1600
- 1 Control unit GATE 2 DG with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs
- 2 Carrying boxes
- 2 Manual releases PLUS with lock

122COMPACT1600D



KIT FIELD OIL 24V DOUBLE

- 2 Operators FIELD OIL 24V
- 1 Control unit USER 2 DG with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs
- 2 Carrying boxes
- 2 Manual releases PLUS with lock

123FIELD24D



DOUBLE KITS - JOINT ARM



KIT GER 24V DOUBLE

- 2 Electromechanical operators GER 24V with control unit and RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

11310245-CSA

KIT GER 24V DOUBLE BBU

- 2 Electromechanical operators GER 24V
- 1 Control unit USER 2 24V BBU with metal case, battery backup and RF UNI 433MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of photocells (REFLEX or SUNSET)
- 2 Warning signs

11310245BBU





DOUBLE KITS PRE-WIRED



KIT MINI TANK DOUBLE PW

- 2 Hydraulic operators MINI TANK SC
- 1 Control unit UNIGATE PRE-WIRED * with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

*Metal enclosure 20"x11"x 5"W

101MTSCDUPW



BRUSHLESS technology



KIT HALF TANK DOUBLE PW

- 2 Hydraulic operators HALF TANK 110V
- 1 Control unit UNIGATE PRE-WIRED * with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

*Metal enclosure 20"x11"x 5"W

104HTACDUPW

KIT HALFTANK 36V DOUBLE BR PW

- 2 Hydraulic operators HALF TANK 36V BR
- 1 Control unit UNIGATE BR PRE-WIRED with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

*Metal enclosure 20"x11"x 5"W

104HT24ABRPW





DOUBLE KITS PRE-WIRED HYDRAULIC



KIT COMPACT 1600 DOUBLE PW

- 2 Hydraulic operator COMPACT 1600
- 1 Control unit UNIGATE Inverter DG PRE-WIRED with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs
- 2 Carrying boxes
- 2 Manual releases PLUS with lock
- *Metal enclosure 20"x11"x 5"W

122COMPACT1600DUPW



KIT FULL TANK DOUBLE PW

- 2 Hydraulic operator FULL TANK 110V
- 1 Control unit UNIGATE Inverter DG PRE-WIRED with RF UNI 433 MHz plug-in receiver
- 2 Lady Bug 433 MHz transmitters
- 1 Pair of SUNSET photocells
- 2 Warning signs

*Metal enclosure 20"x11"x 5"W

106FTACDUPW

Photos are indicative compositions (carefully read the specific compositions of the chosen kit)

All Kits PRE-WIRED are equipped with UNIGATE Inverter DG control board pre-wired on the major inputs like loop detectors wired in safety and free exit configuration. There are also included in the packaging n1 Loop detector plug-in replaceable with switch and metal enclosure 20x11x5 inches

